

Patient Enrollment Form

This form is intended for US patients only.

FAX: 888-936-8859

Enzyvant CONNECT[®] is a program that provides patients and their families with personalized support as they navigate the treatment journey.

1. To enroll, please complete the form and either fax it to 888-936-8859 or mail it to Enzyvant CONNECT, PO Box 220701, Charlotte, NC 28222.

2. Before submitting the form, please ensure all required signatures have been obtained by both the patient's provider and their parent/caregiver/legal guardian.

For assistance, call Enzyvant CONNECT toll-free at 844-ENZCNCT (844-369-2628), Monday–Friday, 8:00 AM to 8:00 PM ET.

Sumitomo Pharma America, Inc. and Enzyvant CONNECT are not responsible for treatment decisions or timing for treatment.

PATIENT AND PARENT/LEGAL GUARDIAN INFORMATION

Patient Name: _____ Gender: Male Female Date of Birth: _____
 Parent/Legal Guardian Name: _____ Relationship: Parent Power of Attorney Other
 Street Address: _____ City: _____ State: _____ Zip: _____
 Primary Phone #: _____ Secondary Phone #: _____
 Best time to contact (day/time): _____ Can we send texts? Yes No Email: _____
 Patient Primary Diagnosis ICD-10 Code: D82.1 Di George's Syndrome Other (include ICD-10 code): _____
 Patient Allergies: _____ No known allergies

PARENT/CAREGIVER/LEGAL GUARDIAN INSURANCE INFORMATION

Please include copies of the front and back of the primary and, if applicable, secondary insurance cards.

Primary Insurance: _____ Policy Holder Name: _____
 Policy ID #: _____ Group #: _____ Phone #: _____
 Secondary Insurance: _____ Policy Holder Name: _____
 Policy ID #: _____ Group #: _____ Phone #: _____

PATIENT SUPPORT PROGRAMS

Please select the program(s) you would like to apply (your patient) for. We'll review eligibility for the selected program(s).

RETHYMIC is surgically implanted in Durham, North Carolina. Is medical travel support needed for this patient? Yes No

The Enzyvant CONNECT[®] Commercial Co-Pay Program could provide assistance for out-of-pocket costs for RETHYMIC.

Is commercial co-pay support needed for this patient? Yes No

PROVIDER INFORMATION

Provider Name: _____ Tax ID #: _____ NPI #: _____
 Institution/Facility Name: _____
 Street Address: _____ City: _____ State: _____ Zip: _____
 Provider Email: _____ Office Contact Name: _____
 Office Contact Phone #: _____ Fax #: _____
 Office Contact Email: _____

Please check this box and provide your email address if you would like us to send an electronic version that you can sign.

Email: _____

Provider Signature: _____ **Date:** _____

If you are a parent/caregiver/legal guardian, please fill out the consent release on page 2. →

Authorization to Use and Disclose Personal Health Information

To be completed by parent/caregiver/legal guardian

In signing this form, I authorize the patient's healthcare providers, and any vendors to provide Sumitomo Pharma America, Inc., its affiliates, parent company, business partners, service providers, third-party contractors, and agents (collectively "Sumitomo Pharma America, Inc.") with any and all names, addresses, patients' conditions and diagnoses, health insurance information, and demographic information (Personal Health Information or PHI) that Sumitomo Pharma America, Inc. requests for the purposes of providing patient support services to the patient and family members. Sumitomo Pharma America, Inc. may also contact me or the patient's providers directly for any missing or additional information.

I authorize Sumitomo Pharma America, Inc. to use PHI for purposes including the sharing of information with the child's healthcare providers or site of administration and to provide me with educational materials, logistical support such as facilitating travel and lodging where applicable, and marketing information via telephone or mail, or electronic format or otherwise for information that may be of interest to me and understand that my wireless service provider's message and data rates may apply. I authorize Sumitomo Pharma America, Inc. to perform reimbursement support and agree that a benefits investigation to determine coverage for treatment, identify other ways to afford treatment, to share information with my child's healthcare provider or site of administration, and understand that Enzyvant CONNECT, and its authorized third-party agents may use my and my child's information to determine eligibility in the Enzyvant CONNECT Co-pay Assistance Program.

Additional Terms of Consent Applicable to program offerings

I understand this authorization is voluntary. If I decline to sign or provide verbal consent, I understand that Sumitomo Pharma America, Inc. may be limited in the support it would otherwise provide upon enrolling in the Enzyvant CONNECT program, but my failure to sign this form will not otherwise affect the patient's current and ongoing medical care, their ability to participate in programs sponsored by Sumitomo Pharma America, Inc. in the future, or the patient's eligibility for healthcare benefits. Enzyvant CONNECT and its authorized third-party agents reserve the right to ask for additional documents or information at any time.

I understand that my signed consent to share and use my and the patient's PHI lasts for three (3) years from the date of my signature or verbal consent.

I understand that I may revoke this written or verbal Authorization at any time in writing by sending a letter to Sumitomo Pharma America, Inc. at the following address: Sumitomo Pharma America, Inc., 84 Waterford Dr, Marlborough, MA 01752. By revoking this Authorization, Sumitomo Pharma America, Inc. is prevented from further using or disclosing my or the patient's information but will not affect the use or disclosure of information that has already been made in reliance on this Authorization, and understand I have a right to receive a copy of this form. I understand upon disclosure of this information, federal and state privacy laws may no longer apply or protect the information from further disclosure.

Unless I expressly revoke this Authorization, it shall remain in effect for ten (10) years from the date that I sign below or provide verbal consent.

Consent Information

I have read and understand the Authorization to Use and Disclose Personal Health Information and hereby provide consent.

Please check this box and provide your email address if you would like us to send an electronic version that you can sign.

Email: _____

Name (Print): _____

Signature: _____

Relationship to Patient: _____

Date: _____

Please note: Verbal attestation can be provided by the parent/caregiver/legal guardian if they are unable to sign the form by calling Enzyvant CONNECT toll-free at 844-ENZCNCT (844-369-2628), Monday through Friday, 8:00 AM to 8:00 PM ET.

Indication

RETHYMIC® (allogeneic processed thymus tissue–agdc) is indicated for immune reconstitution in pediatric patients with congenital athymia. RETHYMIC is not for use in patients who have been diagnosed with severe combined immunodeficiency (SCID).

Important Safety Information

Infection Control: Immune reconstitution sufficient to protect from infection is unlikely to develop prior to 6-12 months after treatment with RETHYMIC. Immune reconstitution is needed for the body to produce cells in the immune system to fight infection. Your child's doctor should advise you of infection control measures which should be followed immediately after treatment and until the immune system starts working at a sufficient level. Monitor your child closely for signs of infection, including fever. Your child should be maintained on immunoglobulin replacement and prophylactic antimicrobials until certain criteria are met as determined by your doctor.

Graft versus Host Disease (GVHD): RETHYMIC may cause or make pre-existing GVHD worse. Your child will be monitored for GVHD and treated if needed. Symptoms of GVHD may include fever, rash, enlarged lymph nodes, inflammation of the gastrointestinal system and/or diarrhea.

Autoimmune Disorders: Autoimmune-related adverse events occurred in patients treated with RETHYMIC. These events included: low platelets, low white blood cells, protein in urine, low red blood cells, hair loss, poor thyroid function, inflammation of liver, inflammation of the joints, inflammation of the spinal cord, loss of pigment in the skin, eyes and hair, overactive thyroid function, and loss of function of the ovaries. Your doctor will monitor your child regularly including performing blood tests.

Kidney Disease: Treatment with RETHYMIC is a risk factor for death in patients with pre-existing kidney disease.

Cytomegalovirus (CMV) Infection: In clinical studies with RETHYMIC, 4 out of 4 patients with pre-existing CMV infection prior to the implantation with RETHYMIC died. Talk to your doctor about the benefits/risks of treatment if your child has pre-existing CMV infection.

Cancer: Due to your child's weakened immune system, there is increased risk of developing certain cancers. Your child's doctor will monitor your child through testing for Epstein-Barr virus (EBV) and cytomegalovirus (CMV), which are two viruses that can cause cancer.

Transmission of Serious Infections: Because RETHYMIC is made from human tissue, and animal products are used in the manufacturing process, transmission of infectious diseases may occur.

Vaccinations: Your child should not receive any vaccinations until he or she has met certain requirements set by your doctor. Talk to your child's doctor prior to any vaccinations.

Anti-HLA Antibodies: Prior to receiving RETHYMIC your child will be tested for HLA antibodies, which are proteins that may be present in your child's blood. If your child has these antibodies, he/she will need to receive RETHYMIC from a donor that does not express those HLA proteins.

HLA Typing: If your child has received a hematopoietic cell transplantation (HCT) or a solid organ transplant, they will have a test to look for specific antibodies that could interfere with the effect of RETHYMIC. If they are present, then it will be necessary to receive RETHYMIC from a certain group of donors that do not have these proteins.

Deaths: 105 children participated in the clinical studies of RETHYMIC. 29 of the patients died, including 23 in the first year after implantation of RETHYMIC.

What are the most common side effects with RETHYMIC?

The most common side effects with RETHYMIC are hypertension (high blood pressure), cytokine release syndrome, rash, hypomagnesemia (low magnesium), renal impairment / failure (decrease of kidney function), thrombocytopenia (low platelets), and graft versus host disease.

These are not all of the possible side effects of RETHYMIC. Talk to your child's doctor about any side effect that bothers your child or does not go away.

You are encouraged to report side effects to the FDA at 1-800-FDA-1088 or www.fda.gov/safety/medwatch.

Please see full Product Information at RETHYMIC.com.

Enzyvant CONNECT

PO Box 220701, Charlotte, NC 28222

Fax: 888-936-8859 • Phone: 844-ENZCNCT (844-369-2628)



◆ is a trademark of Sumitomo Pharma Co., Ltd., used under license. SUMITOMO PHARMA is a trademark of Sumitomo Pharma Co., Ltd., used under license. SUMITOMO is a registered trademark of Sumitomo Chemical Co., Ltd., used under license. Sumitomo Pharma America, Inc. is a U.S. subsidiary of Sumitomo Pharma Co. Ltd. ENZYVANT CONNECT®, RETHYMIC®, and their logos are registered trademarks of Enzyvant Therapeutics GmbH. © 2023 Enzyvant Therapeutics GmbH. All rights reserved. US—2300132 09/2023